

Franklin County Greenfield

16

1425EST

National Weather Service Storm Data and Unusual Weather Phenomena



300	rm	Data ai	na Ur	iusua	we	atne	r Pheno	mena	15,160,	
Location	Date	Time Local/ Standard	Path Length (Miles)	Path Width (Yards)	Numbe Perso Killed	ons	Estimated Damage Property Crops	Character of Storm	July 1998	
CONNECTICUT, Noi	theast									
Hartford County										
Hartford	01 South	0000EST Branch of Park Riv	ver		0	0		Flood		
Hartford County										
Southington	01 Quinn	0000EST 0740EST			0	0		Flood		
	Quinnipiac River Heavy rain which fell on June 30th resulted in the continued flooding of two small streams in Hartford County into July 1st. The South Branch of the Park River in Hartford had reached flood stage at 9:45 PM on June 30th, crested at 9.85 feet at 10:30 PM, and then fell back below flood stage right at midnight at the start of July 1st. The Quinnipiac River in Southington had reached flood stage at 6:10 PM on June 30th, crested at 4.24 feet at 8:39 PM, then fell below flood stage at 8:40 AM on July 1st. No other flooding was reported during the rest of the month of July.									
Hartford County										
Windsor	20 Nicke	1645EST l size hail was repo	rted during a	late afternoon	0 thunderst	0 orm Time	approximate	Hail(0.88)		
Hartford County	TTICKC	i size itali was repo	nted daring a	inte arternoon	munderso	orm. Time	аррголинас.			
Suffield	23	1158EST			0	0		Hail(0.88)		
Hartford County East Windsor	23	1210EST			0	0		Thunderstorm W	ind (G50)	
Hartford County	20	1210131			Ü	v		Thurwer Storm VV	ma (Geo)	
New Britain	fire. Thunc	The fire was quic	kly extinguis	hed and confi	ned to the	e attic, but	two third floor apa	Lightning t a chimney in New a rtments were render affected up to 1,500	ed uninhabitable	
MASSACHUSETTS,	<u>Central</u>	and East								
Bristol County										
Norton	01 02 Wadir	0000EST 1000EST ng River			0	0		Flood		
Bristol County										
Taunton	01 02 Ten M	0000EST 0700EST file River			0	0		Flood		
	the fir flood feet at	st couple of days of stage at 8 AM on J	f July. The Tuly 2nd. The	en Mile River Wading Rive	in Taunto er in Norto	n had reach n had reach	ned flood stage at 1:3 ned flood stage at 10	ns in Bristol County, 0 PM on June 30th ar :30 PM on June 30th r flooding was reporte	nd then fell below, crested at 10.35	
Franklin County										
Franklin County Greenfield to Montague	16	1400EST 1405EST			0	0		Hail(1.00)		

0

Hail(0.75)





Time Path Path Number of Estimated Local/ Length Width Persons Damage
Location Date Standard (Miles) (Yards) Killed Injured Property Crops Character of Storm

MASSACHUSETTS, Central and East

MASSACHUSETTS	<u>s, Central</u>	and East							
Franklin County Erving	16	1530EST	0	0		Thunderstorm Wind (G50)			
	20 mi		was reported in Greenfield.			nail fell in Greenfield and Montague. About thunderstorm winds blew down some trees,			
Hampden County West Springfield	17	2017EST	0	0		Hail(0.75)			
Hampden County									
Springfield	17	2033EST	0	0	-! 1!1	Hail(0.88)			
		ell in the northeast part of S		eid. Dime	size naii was rej	ported in West Springfield, while nickel size			
Worcester County									
Millville to Milford	20	1120EST	0	0		Lightning			
Norfolk County	20	1120ECE	0	0		TI 1 (W' 1 (C70)			
Bellingham to Franklin	20	1130EST	0	0		Thunderstorm Wind (G50)			
Norfolk County									
Norfolk	20	1130EST	0	0	100K	Lightning			
Norfolk County	20	1120ECE	0	0	1.517	**14.*			
Plainville	20	1130EST	0	0	15K	Lightning			
Norfolk County Wrentham	20	1130EST	0	0	20K	Lightning			
Plymouth County	20	1130E31	v	U	2011	Lightining			
West Bridgewater	20	1205EST	0	0		Hail(1.00)			
Plymouth County						,			
Pembroke to Marshfield	20	1210EST	0	0	5K	Lightning			
Plymouth County									
Pembroke to Marshfield	20	1215EST	0	0		Thunderstorm Wind (G50)			
Barnstable County									
Provincetown	20	1245EST	0	0		Thunderstorm Wind (G50)			
	Tree damage caused by severe thunderstorm winds resulted in power outages in the Norfolk County towns of Medway, Franklin, and								

Tree damage caused by severe thunderstorm winds resulted in power outages in the Norfolk County towns of Medway, Franklin, and Bellingham. In addition, many lightning strikes were reported, contributing to the power outages. As many as six buildings, including one house, were struck by lightning in Milford in extreme southeast Worcester County. In Norfolk County, lightning strikes resulted in some damage. In the town of Norfolk, a lightning strike caused an electrical surge which ignited a fire that caused an estimated \$100,000 damage to a house. Lightning struck a public building in Wrentham, resulting in an estimated \$20,000 damage to equipment. A chapel was struck in Plainville and the resulting fire caused an estimated \$10,000 to \$15,000 damage. No injuries were reported from any of the lightning strikes, but up to 4,000 area electric customers lost service. Lightning also struck the Upton Town Hall and the Millville Fire Station, both towns in extreme southeast Worcester County. No serious damage was reported.

In Plymouth County, 40 to 50 large tree branches were blown down in Marshfield. Also in Marshfield, lightning knocked out communications at the local fire department. In neighboring Pembroke, many trees were knocked down in the northern part of town and one tree crushed a parked automobile. Also, in Pembroke, a lightning strike set a garage afire and destroyed the car parked inside. Dime to quarter size hail was reported in West Bridgewater. At about 1:45 PM, thunderstorm winds overturned a small plane at Provincetown Airport on the outer tip of Cape Cod.





Location	Date	Time Local/ Standard	Path Length (Miles)	Path Width (Yards)		ber of sons Injured		nated nage Crops	July 1998 Character of Storm
MASSACHUSETTS	5, Central	and East							
Hampden County Holyoke	20	1558EST			0	0			Thunderstorm Wind (G50)
Hampshire County Easthampton	20	1559EST			0	0			Thunderstorm Wind (G50)
Hampden County Blandford	20	1600EST			0	0	8K		Lightning
Hampden County Springfield	20	1613EST			0	0			Hail(0.88)
Hampden County Holyoke	20	1615EST			0	0			Thunderstorm Wind (G50)
Hampden County Ludlow	20	1621EST	understorm :	winds knock	0	0	viras in Us	alvoka A	Thunderstorm Wind (G50)

In Hampden County, thunderstorm winds knocked down trees and wires in Holyoke. Also, the strong winds bent a 1.5 inch aluminum pipe on a ground plane antenna in Ludlow. Nickel size hail was reported in Springfield. In Hampshire County, numerous 4-inch diameter tree limbs were reported covering a road in Easthampton. Lightning strikes caused only minor damage, except in Blandford, where two buildings were set on fire. An apartment building sustained extensive damage to the attic and 2nd floor. A shed was set on fire, but was quickly extinguished.

Middlesex County						
Acton	23	1212EST	0	0		Hail(0.75)
Hampden County East Longmeadow	23	1218EST	0	0		Thunderstorm Wind (G50)
Hampden County Monson	23	1235EST	0	0		Thunderstorm Wind (G50)
Worcester County Spencer	23	1240EST	0	0		Thunderstorm Wind (G50)
Worcester County Webster	23	1240EST	0	0		Thunderstorm Wind (G50)
Worcester County Millbury to Grafton	23	1255EST 1301EST	0	0		Thunderstorm Wind (G50)
Worcester County Uxbridge	23	1310EST	0	0		Thunderstorm Wind (G50)
Middlesex County Stow	23	1315EST	0	0		Hail(0.75)
Middlesex County Stow	23	1315EST	0	1		Lightning
Middlesex County Concord to Lincoln	23	1320EST	0	11	70K	Lightning
Middlesex County Hopkinton	23	1320EST	0	0		Thunderstorm Wind (G50)
Middlesex County Lexington	23	1320EST	0	0		Hail(1.00)
Essex County Marblehead	23	1330EST	0	0	5K	Lightning





Time Local/ Length Width Persons Damage
Location Date Standard (Miles) (Yards) Killed Injured Property Crops Character of Storm

Time Path Width Persons Damage
(Miles) (Yards) Killed Injured Property Crops Character of Storm

MASSACHUSETTS, Central and East

Norfolk County Medway to Wrentham

23 1335EST 0 0 Thunderstorm Wind (G50)

An isolated early afternoon thunderstorm produced dime size hail in Acton in Middlesex County. Then, severe thunderstorms moved eastward across Massachusetts from Hampden County to Worcester, Middlesex, and Norfolk Counties during the afternoon. Severe weather was first reported in Hampden County where local law enforcement officials reported trees blown down in East Longmeadow. A short time later, trees and large tree limbs were blown down in Monson. In Worcester County, trees and power lines were downed in Spencer and small trees were downed in Webster. One tree and several large limbs were blown down in Grafton. Trees were reported down in Millbury. Large branches, 6 to 12 inches in diameter, were reported down in Uxbridge. Public reports of a possible tornado in Dudley were not confirmed.

In Middlesex County, in West Concord, three campers were injured while seated in a tent at a local campsite. Six others in the tent were visibly shaken by the lightning strike and all were transported to the nearest hospital. One staff member and two campers were held at the hospital. None of the victims showed any burns and none was seriously injured. Lightning strikes caused some serious damage in Concord. A house sustained \$20,000 damage when a chimney and a portion of the roof were blown off. A business establishment reported \$50,000 damage to their alarm system. In Stow, a 7-year-old boy was injured by a bolt of lightning which struck his house while he was in contact with a dehumidifier. He was admitted for observation at the local hospital. In Lincoln, one person was struck by lightning at the airport at Hanscom Field while holding the ground wire for a blimp and was transported to the local hospital.

Also, in Middlesex County, two to three foot diameter branches were blown down in Hopkinton. Dime size hail was observed at an apple orchard in Stow and quarter size hail was reported in Lexington. Farther east, in Essex County, the storms were not severe, but pea size hail fell at Manchester-by-the-Sea along with 2.85 inches of rain. Lightning struck the steeple of a church in Marblehead and started a fire which resulted in several thousand dollars in damage. Small limbs were downed on the Danvers-Middleton town line. Severe thunderstorms did continue east into western Norfolk County, where large branches were reported blown down in Medway, Franklin, and Wrentham. Large tree limbs were reported down on wires in Franklin

MAZ010 Eastern Hampshire

29 1213EST 0 0 Strong Winds

A thunderstorm produced a wind gust estimated at 50 mph. It blew down some small tree limbs and one power line.

NEW HAMPSHIRE, Southern

NHZ011 Cheshire

10 1438EST 0 0 Strong Winds

In Cheshire County in the town of Swanzey, wind gusts associated with a heavy rain shower were estimated up to 40 to 50 mph. The strong winds knocked down one tree, which subsequently fell onto a power line, bringing down some wires.





Location	Date	Time Local/ Standard	Path Length (Miles)	Path Width (Yards)		ber of rsons Injured	Estin Dar Property	nated nage Crops	Character of Storm	July 1998
RHODE ISLAND										
Providence County										
North Providence	01	0000EST 0600EST			0	0			Flood	
	Woon	asquatucket River								
Providence County										
South Foster	01	0000EST 0200EST			0	0			Flood	
	Ponag	ganset River								
Providence County										
Cranston	01 02	0915EST 0900EST			0	0			Flood	
		ixet River								

Heavy rainfall on June 30th resulted in flooding of small streams with at least two streams continuing above flood stage into July 1st. In Providence County, the Ponaganset River in South Foster had reached flood stage at 1 PM on June 30th, crested at 6.31 feet at 5 PM, then fell below flood stage at 3 AM on July 1st. The Woonasquatucket River in North Providence had reached flood stage at 8:10 PM on June 30th and then fell below flood stage at 7 AM on July 1st. In Cranston, the Pawtuxet River did not reach flood stage until 10:15 AM on July 1st, crested at 9.40 feet at 8 PM on the 1st, and then fell below flood stage at 10 AM on July 2nd. No other flooding was reported during the rest of the month of July.